RESEALABLE BAG!

PRESS TO RESEAL

RESULTS Treats up to 10,000 sq ft GUARANTEED†

For outdoor use around the home only.

# Spectracide®

# FIRE ANT KILLER PLUS PREVENTER BAIT

## ONCE & DONE!™

*Insecticida para hormigas bravas con cebo preventivo*

**Apply Once for Season*–Long Control!**

**Kills the Queen & Colony Fast!**

**No Watering Necessary**

BROADCAST WITH SPREADER™

Active Ingredient:
Indoxacarb.....0.016%
Other Ingredients .....99.984%
Total .....100.000%
†For terms of guarantee, see back panel.

*In areas where the fire ant season lasts longer than three months, reapply after 12 weeks (three months) to prevent re-infestation.

KEEP OUT OF REACH OF CHILDREN

**CAUTION** See back for additional precautionary statements.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

**PRECAUCIÓN** Consulte la parte posterior para conocer las declaraciones preventivas adicionales.

**Net Wt 5.0 lb (2.2 kg)**

Spectracide®

FIRE ANT KILLER PLUS PREVENTER BAIT

ONCE & DONE!™

*Insecticida para hormigas bravas con cebo preventivo*

Spectracide®

# FIRE ANT KILLER
## PLUS PREVENTER BAIT
**ONCE & DONE!™**

*Insecticida para hormigas bravas con cebo preventivo*

## PRODUCT FACTS

**WHAT IT DOES:**
Kills fire ants and helps prevent new mounds from forming all season* long.

**WHERE TO USE:**
Outdoors, on fire ant mounds and as a broadcast treatment in lawns.

**WHEN TO USE:**
Apply in early spring or summer at the first sign of fire ant activity. Reapply in the fall to reduce the number of fire ants that will return next spring.

**QUESTIONS & COMMENTS:**
Call 1-800-917-5438 or visit our website at **www.spectracide.com**

***In areas where the fire ant season lasts longer than three months, reapply after 12 weeks (three months) to prevent re-infestation.**

STOP **READ ENTIRE LABEL BEFORE USE**

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### MOUND TREATMENT KILLS THE COLONY

1. Sprinkle 4 Tbsp of bait around each mound.
2. Do not water in.
3. Decreased ant activity will be observed as soon as 24 hours after bait placement. Mound control will occur in as little as 48 hours after application.
4. Treat new mounds as they appear.

### BROADCAST TREATMENT

1. Apply granules with a spreader at a rate of ½ lb per 1,000 sq ft.
2. Do not water in.
3. Decreased ant activity will be observed as soon as 24 hours after bait placement. Mound control in treated areas will occur in as little as 48 hours after application.

*4. In areas where the fire ant season lasts longer than three months, reapply after 12 weeks (three months) to prevent re-infestation.

### USE TIPS

1. For best results, apply in early spring or summer at the first sign of fire ant activity to prevent mounds from forming.
2. Apply in the early morning or late evening when fire ants are actively foraging.
3. Do not apply if rain is expected within four to six hours.
4. Do not water or mow treated area for 24 hours after application. This will allow time for the ants to forage the bait and take it to the mound.
5. Treating the entire yard is recommended since it will kill foraging ants and mounds that may not be visible at the time of application.
6. People and pets may re-enter treated area immediately after broadcast.

## STORAGE AND DISPOSAL

**Storage:** Reclose bag tightly after each use. Store in a cool, dry area which is inaccessible to children and pets. **If Empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals**

**CAUTION.** Food utensils such as spoons or measuring cups must not be used for food purposes after use in measuring pesticides.

**Environmental Hazards**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.**

**Spreader Settings for Lawn Application**
**Ajustes del difusor para la aplicación general en césped**

| Spreader Make and Model<br>Marca y modelo del difusor | 0.5 lb/1,000 sq ft<br>0.5 lb/1,000 pies cuadrados |
|---|---|
| **SCOTTS** | |
| AccuGreen 1000 | 5½ |
| AccuGreen 2000 | 5½ |
| AccuGreen 3000 | 5½ |
| SpeedyGreen 1000 | 4¼ |
| SpeedyGreen 2000 | 4¼ |
| SpeedyGreen 3000 | 4¼ |
| EdgeGuard | 4¼ |
| **EARTHWAY** | |
| 2000 | 8 |
| 2050 | 6 |
| **VIGORO** | |
| 4300 | 3 |

*NOTE: These settings are approximate due to variability and wear of spreader. Check settings and calibrations on a small area before making total application.*

*Nota: Los ajustes del difusor indicados son aproximados debido a la variabilidad y el uso del difusor. Verifique los ajustes y calibraciones en una zona pequeña antes de llevar a cabo la aplicación total.*

**†GUARANTEED RESULTS OR YOUR MONEY BACK**

**If you are not satisfied with this product for any reason, send your written request for a refund to the address at right, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.**

ALTO **LEA TODA LA ETIQUETA ANTES DE USAR**

## MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.

### TRATAMIENTO DEL HORMIGUERO MATA LA COLONIA

1. Espolvoree 4 cucharadas soperas de cebo alrededor de cada hormiguero.
2. No moje.
3. La disminución de la actividad de las hormigas se podrá observar en sólo 24 horas después de la colocación del cebo. El control del hormiguero ocurrirá en tan sólo 48 horas después de la aplicación.
4. Trate los hormigueros nuevos a medida que aparezcan.

### TRATAMIENTO CON DIFUSOR

1. Aplique los gránulos con un difusor a la dosis de ½ lb por cada 1,000 pies cuadrados.
2. No moje.
3. La disminución de la actividad de las hormigas se podrá observar en sólo 24 horas después de la colocación del cebo. El control de hormigueros en las áreas tratadas ocurrirá en tan sólo 48 horas después de la aplicación.

*4. En áreas donde la temporada de hormigas bravas dure más de 3 meses, aplique de nuevo después de 12 semanas (3 meses) para evitar la reinfestación.

### CONSEJOS PARA EL USO

1. Para obtener mejores resultados, aplique a principios de primavera o verano cuando observe los primeros signos de actividad de hormigas bravas, para evitar la formación de hormigueros.
2. Aplique temprano por la mañana o a última hora de la tarde cuando las hormigas bravas están buscando alimento activamente.
3. No aplique si se espera lluvia en un plazo de 4 a 6 horas.
4. No riegue ni corte el área tratada por 24 horas después de la aplicación. Esto dará tiempo para que las hormigas busquen el cebo y lo lleven al hormiguero.
5. Se recomienda tratar todo el jardín ya que matará a las hormigas que buscan alimento y los hormigueros que pueden no estar visibles el momento de la aplicación.
6. Las personas y las mascotas pueden volver a ingresar al área tratada inmediatamente después de la aplicación con difusor.

## ALMACENAMIENTO Y ELIMINACIÓN

**Almacenamiento:** Vuelva a cerrar la bolsa herméticamente después de cada uso. Guarde en un lugar fresco y seco que no sea accesible a los niños ni a las mascotas. **Si está vacío:** No vuelva a utilizar este envase. Tírelo en la basura o puede ofrecerlo para reciclarlo, si existe esa opción. **Si está parcialmente vacío:** Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

## DECLARACIONES PREVENTIVAS

**Riesgos para los seres humanos y los animales domésticos**

**PRECAUCIÓN.** Los utensilios para alimentos como cucharas o tazas de medida no se deben usar con alimentos después de utilizarlos para medir pesticidas.

**Riesgos para el medio ambiente**

No aplique directamente al agua. No contamine el agua cuando elimine las aguas de lavado del equipo ni los residuos del enjuague.

**NOTA: El comprador asume toda la responsabilidad en caso de no seguir las instrucciones sobre seguridad y modo de empleo.**

Distributed by Spectrum Group, Div. of United Industries Corporation
PO Box 142642, St. Louis, MO 63114-0642
EPA Reg. No. 9688-217-8845
EPA Est. Nos. 9198-OH-1(M), 44616-MO-1(G), 74764-FL-1(BL), 9198-OH-2(B), 9198-AL-1(A), 44616-GA-1(D), 572-NJ-1(T), 39578-TX-1(AM), 69208-MO-1(AO), 9688-MO-1(U), 8660-AL-1(BN), 8660-OH-1(BO), 5905-GA-01(CI), 5905-IA-01(CJ), 5905-AR-01(CK). Circled letter is first letter of lot number. 11-11092 © 2008 UIC

PROOF OF PURCHASE
FPO
0 71121 53227 5

RESEALABLE BAG!

PRESS TO RESEAL

RESULTS Treats up to 10,000 sq ft GUARANTEED†

For outdoor use around the home only.

# Spectracide®

# FIRE

# FIRE ANT KILLER
## PLUS PREVENTER BAIT

## ONCE & DONE!™

*Insecticida para hormigas bravas con cebo preventivo*

**Apply Once for Season*–Long Control!**

**Kills the Queen & Colony Fast!**

**No Watering Necessary**




Active Ingredient:
Indoxacarb.....0.016%
Other Ingredients .....99.984%
Total .....100.000%
†For terms of guarantee, see back panel.

*In areas where the fire ant season lasts longer than three months, reapply after 12 weeks (three months) to prevent re-infestation.

KEEP OUT OF REACH OF CHILDREN

**CAUTION** See back for additional precautionary statements.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

**PRECAUCIÓN** Consulte la parte posterior para conocer las declaraciones preventivas adicionales.

**Net Wt 5.0 lb (2.2 kg)**

Spectracide®

FIRE ANT KILLER
PLUS PREVENTER BAIT
ONCE & DONE!™
*Insecticida para hormigas bravas con cebo preventivo*

Spectracide®

# FIRE ANT KILLER
## PLUS PREVENTER BAIT
**ONCE & DONE!™**

*Insecticida para hormigas bravas con cebo preventivo*

## PRODUCT FACTS

**WHAT IT DOES:**
Kills fire ants and helps prevent new mounds from forming all season* long.

**WHERE TO USE:**
Outdoors, on fire ant mounds and as a broadcast treatment in lawns.

**WHEN TO USE:**
Apply in early spring or summer at the first sign of fire ant activity. Reapply in the fall to reduce the number of fire ants that will return next spring.

**QUESTIONS & COMMENTS:**
Call 1-800-917-5438 or visit our website at **www.spectracide.com**

***In areas where the fire ant season lasts longer than three months, reapply after 12 weeks (three months) to prevent re-infestation.**

STOP **READ ENTIRE LABEL BEFORE USE**

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### MOUND TREATMENT KILLS THE COLONY

1. Sprinkle 4 Tbsp of bait around each mound.
2. Do not water in.
3. Decreased ant activity will be observed as soon as 24 hours after bait placement. Mound control will occur in as little as 48 hours after application.
4. Treat new mounds as they appear.

### BROADCAST TREATMENT

1. Apply granules with a spreader at a rate of ½ lb per 1,000 sq ft.
2. Do not water in.
3. Decreased ant activity will be observed as soon as 24 hours after bait placement. Mound control in treated areas will occur in as little as 48 hours after application.

*4. In areas where the fire ant season lasts longer than three months, reapply after 12 weeks (three months) to prevent re-infestation.

ALTO **LEA TODA LA ETIQUETA ANTES DE USAR**

## MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.

### TRATAMIENTO DEL HORMIGUERO MATA LA COLONIA

1. Espolvoree 4 cucharadas soperas de cebo alrededor de cada hormiguero.
2. No moje.
3. La disminución de la actividad de las hormigas se podrá observar en sólo 24 horas después de la colocación del cebo. El control del hormiguero ocurrirá en tan sólo 48 horas después de la aplicación.
4. Trate los hormigueros nuevos a medida que aparezcan.

### TRATAMIENTO CON DIFUSOR

1. Aplique los gránulos con un difusor a la dosis de ½ lb por cada 1,000 pies cuadrados.
2. No moje.
3. La disminución de la actividad de las hormigas se podrá observar en sólo 24 horas después de la colocación del cebo. El control de hormigueros en las áreas tratadas ocurrirá en tan sólo 48 horas después de la aplicación.

*4. En áreas donde la temporada de hormigas bravas dure más de 3 meses, aplique de nuevo después de 12 semanas (3 meses) para evitar la reinfestación.

## USE TIPS

1. For best results, apply in early spring or summer at the first sign of fire ant activity to prevent mounds from forming.
2. Apply in the early morning or late evening when fire ants are actively foraging.
3. Do not apply if rain is expected within four to six hours.
4. Do not water or mow treated area for 24 hours after application. This will allow time for the ants to forage the bait and take it to the mound.
5. Treating the entire yard is recommended since it will kill foraging ants and mounds that may not be visible at the time of application.
6. People and pets may re-enter treated area immediately after broadcast.

## CONSEJOS PARA EL USO

1. Para obtener mejores resultados, aplique a principios de primavera o verano cuando observe los primeros signos de actividad de hormigas bravas, para evitar la formación de hormigueros.
2. Aplique temprano por la mañana o a última hora de la tarde cuando las hormigas bravas están buscando alimento activamente.
3. No aplique si se espera lluvia en un plazo de 4 a 6 horas.
4. No riegue ni corte el área tratada por 24 horas después de la aplicación. Esto dará tiempo para que las hormigas busquen el cebo y lo lleven al hormiguero.
5. Se recomienda tratar todo el jardín ya que matará a las hormigas que buscan alimento y los hormigueros que pueden no estar visibles el momento de la aplicación.
6. Las personas y las mascotas pueden volver a ingresar al área tratada inmediatamente después de la aplicación con difusor.

## STORAGE AND DISPOSAL

**Storage:** Reclose bag tightly after each use. Store in a cool, dry area which is inaccessible to children and pets. **If Empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals**

**CAUTION.** Food utensils such as spoons or measuring cups must not be used for food purposes after use in measuring pesticides.

**Environmental Hazards**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.**

**Spreader Settings for Lawn Application**
**Ajustes del difusor para la aplicación general en césped**

| Spreader Make and Model<br>Marca y modelo del difusor | 0.5 lb/1,000 sq ft<br>0.5 lb/1,000 pies cuadrados |
|---|---|
| **SCOTTS** | |
| AccuGreen 1000 | 5½ |
| AccuGreen 2000 | 5½ |
| AccuGreen 3000 | 5½ |
| SpeedyGreen 1000 | 4¼ |
| SpeedyGreen 2000 | 4¼ |
| SpeedyGreen 3000 | 4¼ |
| EdgeGuard | 4¼ |
| **EARTHWAY** | |
| 2000 | 8 |
| 2050 | 6 |
| **VIGORO** | |
| 4300 | 3 |

*NOTE: These settings are approximate due to variability and wear of spreader. Check settings and calibrations on a small area before making total application.*

*Nota: Los ajustes del difusor indicados son aproximados debido a la variabilidad y el uso del difusor. Verifique los ajustes y calibraciones en una zona pequeña antes de llevar a cabo la aplicación total.*

## ALMACENAMIENTO Y ELIMINACIÓN

**Almacenamiento:** Vuelva a cerrar la bolsa herméticamente después de cada uso. Guarde en un lugar fresco y seco que no sea accesible a los niños ni a las mascotas. **Si está vacío:** No vuelva a utilizar este envase. Tírelo en la basura o puede ofrecerlo para reciclarlo, si existe esa opción. **Si está parcialmente vacío:** Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

## DECLARACIONES PREVENTIVAS

**Riesgos para los seres humanos y los animales domésticos**

**PRECAUCIÓN.** Los utensilios para alimentos como cucharas o tazas de medida no se deben usar con alimentos después de utilizarlos para medir pesticidas.

**Riesgos para el medio ambiente**

No aplique directamente al agua. No contamine el agua cuando elimine las aguas de lavado del equipo ni los residuos del enjuague.

**NOTA: El comprador asume toda la responsabilidad en caso de no seguir las instrucciones sobre seguridad y modo de empleo.**

**†GUARANTEED RESULTS OR YOUR MONEY BACK**

**If you are not satisfied with this product for any reason, send your written request for a refund to the address at right, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.**

Distributed by Spectrum Group, Div. of United Industries Corporation
PO Box 142642, St. Louis, MO 63114-0642
EPA Reg. No. 9688-217-8845
EPA Est. Nos. 9198-OH-1 (M), 44616-MO-1 (G), 74764-FL-1 (BL), 9198-OH-2 (B), 9198-AL-1 (A), 44616-GA-1 (D), 572-NJ-1 (T), 39578-TX-1 (AM), 69208-MO-1 (AO), 9688-MO-1 (U), 8660-AL-1 (BN), 8660-OH-1 (BO), 5905-GA-01 (CI), 5905-IA-01 (CJ), 5905-AR-01 (CK). Circled letter is first letter of lot number. 11-11092 © 2008 UIC

PROOF OF PURCHASE

FPO
0 71121 53227 5